

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	324	look adj up adj table with simulat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:00
L4	1	look adj up adj table with simulat\$5 with simplif\$	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 08:59
L5	55	look adj up adj table with simulat\$5 with as	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:01
L6	55	look adj up adj table with simulat\$5 with "as"	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:10
L7	134	look adj up adj table same simulat\$5 with "as"	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:10
L8	854	look adj up adj table same simulat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:11
L9	14	look adj up adj table same simulat\$5 same simplif\$6	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:14
L10	7	look adj up adj table same simulat\$5 same GUI	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:15
L11	1	look adj up adj table near respon\$7 with simulat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:16
L12	8	look adj up adj table near3 respon\$7 with simulat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:18
L13	22	look adj up adj table with respon\$7 with simulat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:21
L14	0	message near look adj up adj table with simulat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:22
L15	0	message near look adj up adj table same simulat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:22
L16	30	message near look adj up adj table	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:23
L17	8	message near look adj up adj table and simulat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:24

L18	324	look adj up adj table with simulat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:24
L19	324	look adj up adj table with simulat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:25
L20	2	look adj up adj table with simulat\$5 with behav\$7	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:25
L21	1	"5781720".pn. and (GUI graphic graphical user interface test\$4 simulat\$4 emulat\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:29
L22	1	"5781720".pn. and (GUI graphic graphical user interface test\$4 simulat\$4 emulat\$4) and table	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:29
S1	0	receiving same message same from same system same compar\$4 same response same file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/27 15:33
S2	21	receiving same message same system same compar\$4 same response same file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/28 14:55
S3	233	receiving same message same system same compar\$4 same response	USPAT	OR	ON	2004/05/27 15:44
S4	4	receiving same message same system same compar\$4 same response and marker and @ad < "20000922"	USPAT	OR	ON	2004/05/27 15:46
S5	2	"6286035"	USPAT	OR	ON	2004/05/27 16:12
S6	5	("5655081"   "5734903"   "5799151"   "6038590"   "6078733").PN.	USPAT	OR	ON	2004/05/27 15:46
S7	41950	ATM	USPAT	OR	ON	2004/05/27 16:12
S8	1354	"synchronous communication"	USPAT	OR	ON	2004/05/27 16:18
S9	230	"synchronous communication" and receiving and comparing and response and stor\$3	USPAT	OR	ON	2004/05/27 16:14
S10	216	"synchronous communication" and receiving and comparing and response and stor\$3 and @ad < "20000922"	USPAT	OR	ON	2004/05/27 16:37
S11	0	"synchronous communication" and receiving and comparing and response and stor\$3 and @ad < "20000922" and autonomus	USPAT	OR	ON	2004/05/27 16:15

S12	18	"synchronous communication" and receiving and comparing and response and stor\$3 and @ad < "20000922" and autonomous	USPAT	OR	ON	2004/05/27 16:58
S13	1947	synchronous adj2 communication	USPAT	OR	ON	2004/05/27 16:18
S14	284	simulat\$4 and (synchronous adj2 communication)	USPAT	OR	ON	2004/05/27 16:37
S15	1	(simulat\$4 and (synchronous adj2 communication)) and (response adj file)	USPAT	OR	ON	2004/05/27 16:19
S16	56	(simulat\$4 and (synchronous adj2 communication)) and "TCP/IP"	USPAT	OR	ON	2004/05/27 16:25
S17	21	"synchronous communication" and receiving and comparing and response and stor\$3 and @ad < "20000922" and "TCP/IP"	USPAT	OR	ON	2004/05/27 16:38
S18	52	"system simulation" and (reply\$3 respon\$4) near4 message and compar\$4	USPAT	OR	ON	2004/05/27 17:00
S19	50	"system simulation" and (reply\$3 respon\$4) near4 message and compar\$4 and @ad < "20000922"	USPAT	OR	ON	2004/05/28 14:08
S20	396	system near develop\$5 and simulat\$4 and (reply\$3 respon\$4) near4 message and compar\$4 and @ad < "20000922"	USPAT	OR	ON	2004/05/27 17:04
S21	1	system near develop\$5 same simulat\$4 same (reply\$3 respon\$4) near4 message and compar\$4 and @ad < "20000922"	USPAT	OR	ON	2004/05/27 17:04
S22	20	system near develop\$5 and simulat\$4 same (reply\$3 respon\$4) near4 message and compar\$4 and @ad < "20000922"	USPAT	OR	ON	2004/05/28 12:08
S23	221	receiving same message same system same compar\$4 same response and @ad < "20000922"	USPAT	OR	ON	2004/05/28 12:11
S24	1	system near develop\$5 and simulat\$4 same (reply\$3 respon\$4) near4 message same compar\$4 and @ad < "20000922"	USPAT	OR	ON	2004/05/28 12:08
S25	46	receiving near2 message same system same compar\$4 same response and @ad < "20000922"	USPAT	OR	ON	2004/05/28 12:17
S26	3	"6405365"	USPAT	OR	ON	2004/05/28 12:31
S27	2	"simulate system response"	USPAT	OR	ON	2004/05/28 12:33
S28	71	simulate near3 system near3 response	USPAT	OR	ON	2004/05/28 12:34

S29	4	simulate near3 system near3 response and receive near3 message	USPAT	OR	ON	2004/05/28 12:43
S30	0	Tidwell.in. and IBM.as.	USPAT	OR	ON	2004/05/28 12:44
S31	0	Tidwell.in. and internationalbusinessmachine.as.	USPAT	OR	ON	2004/05/28 12:45
S32	195	Tidwell.in.	USPAT	OR	ON	2004/05/28 12:45
S33	7	"5859637"	USPAT	OR	ON	2004/05/28 12:46
S34	10	Tidwell.in. and simulat\$4	USPAT	OR	ON	2004/05/28 13:46
S35	10	@ad < "20000922" and receiv\$4 near3 message near4 compar\$4 near3 (response information data) and marker	USPAT	OR	ON	2004/05/28 14:03
S36	55	@ad < "20000922" and receiving near2 message and compar\$4 near4 receiving near4 information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/28 14:56
S37	5	("5655081"   "5734903"   "5799151"   "6038590"   "6078733").PN.	USPAT	OR	ON	2004/05/28 14:58
S38	8	("4686623"   "5732274"   "5774726"   "5854930"   "6134709"   "6138272"   "6237136"   "6286035").PN.	USPAT	OR	ON	2004/05/28 15:00
S39	2	"6405365".URPN.	USPAT	OR	ON	2004/05/28 15:05
S40	10999	simulat\$ with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:08
S41	449	simulat\$ with network with compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:08
S42	13	simulat\$ with network with compar\$4 with match\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:53
S43	56	simulat\$ adj GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:53

S44	1	simulating adj GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:54
S45	1	simulat\$5 near GUI with develop\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:56
S46	188	simulat\$5 with (GUI "user interface") with develop\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 15:57
S47	8	simulat\$5 with (GUI "user interface") near develop\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:55
S48	23	"5121475"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 18:10
S49	5	simulat\$ adj GUI with respons\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:10
S50	0	simpl\$5 adj simulat\$ with GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:51
S51	13438	simulat\$ with (table library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:52
S52	2532	simulat\$ adj3 (table library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:52
S53	1527	simulat\$ adj2 (table library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:52

S54	443	simulat\$ adj (table library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:52
S55	8	simulat\$ adj (table library) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:52
S56	74	GUI adj simulat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:53
S57	2464	simulat\$5 with (GUI "user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:55
S58	165	simulat\$5 adj (GUI "user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:55
S59	87	simulat\$5 adj (GUI "user interface") not circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:56
S60	119	simulat\$5 adj (GUI "user interface") and develop\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 16:56
S61	57	simulat\$5 adj (GUI "user interface") not circuit and develop\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:18
S62	2347	software adj simulat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:10
S63	315	software adj simulat\$4 with (table library Model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:10

S64	12	software adj simulat\$4 with (table library Model) with respons\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:10
S65	566	test\$5 near (GUI "user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:08
S66	49	test\$5 near (GUI "user interface") and respon\$6 adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:24
S67	31	test\$5 near (GUI "graphic user interface") and respon\$6 adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:24
S68	182	test\$5 near (GUI "graphic user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:25
S69	46	test\$5 near (GUI "graphic user interface") and (return\$4 respon\$5) near (message response)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:49
S70	31	test\$5 near (GUI "graphic user interface") and (return\$4 respon\$5) near (message response) near2 (table file database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:47
S71	15	S69 not S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:53
S72	2073	simulat\$4 near (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:55
S73	161	simulat\$4 near (file table database matrix) and GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:53

S74	0	simulat\$4 near GUI with (respon\$6 return\$4) near (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:56
S75	0	simulat\$4 near GUI with message near (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:55
S76	0	simulat\$4 near2 GUI with message near (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:55
S77	0	simulat\$4 near2 (GUI UI "user interface" "graphical user interface") with message near (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:56
S78	0	simulat\$4 near2 (GUI UI "user interface" "graphical user interface") with message near2 (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:56
S79	0	simulat\$4 with (GUI UI "user interface" "graphical user interface") with message near2 (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:56
S80	335926	simulat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:56
S81	123	simulat\$4 with (GUI UI "user interface" "graphical user interface") and message near2 (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:09
S82	47	simulat\$4 near (GUI UI "user interface" "graphical user interface") and message near2 (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:16
S83	11	simulat\$4 adj GUI and message near (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:18



S84	2	simulat\$4 near GUI and message near (file table database matrix) not S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:55
S85	2	(simulat\$4 emulat\$4) near GUI and message near (file table database matrix) not S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:55
S86	149	(simulat\$4 emulat\$4) near GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:56
S87	12	(simulat\$4 emulat\$4) near GUI and (respon\$6 return\$4) near (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:59
S88	0	emut\$7 near GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:57
S89	30	emulat\$7 near GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:27
S90	2	simulat\$4 near log\$4 near message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:28
S91	1	simulat\$4 with log\$4 near message and GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:28
S92	11	("4696003"   "4819233"   "4819234"   "5022028"   "5157779"   "5157782"   "5159669"   "5218605"   "5226162"   "5233611"   "5339261").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 16:39
S93	89	lucent and GUI and simulat\$4 and message	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 16:40

S94	4	lucent and GUI with simulat\$4 and message	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 09:28
S95	69	lucent and (GUI UI "user interface" Graphic user interface" Graphical user interface") with simulat\$4 and message	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 16:43
S96	56	lucent and (GUI UI "user interface" Graphic user interface" Graphical user interface") with simulat\$4 and message and log\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 16:44
S97	0	lucent and develop\$6 near (GUI UI "user interface" Graphic user interface" Graphical user interface") with simulat\$4 and message and log\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 16:45
S98	50	lucent and develop\$6 near (GUI UI "user interface" Graphic user interface" Graphical user interface") and simulat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 16:45
S99	1	lucent and develop\$6 near (GUI UI "user interface" Graphic user interface" Graphical user interface") with simulat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 16:46
S10 0	37	lucent and develop\$6 near (GUI UI "user interface" "Graphic user interface" "Graphical user interface") and simulat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 16:50
S10 1	32	lucent and develop\$6 near (GUI UI "user interface" "Graphic user interface" "Graphical user interface") and (simulat\$4 emulat\$4 test\$4) with (GUI UI "user interface" "Graphic user interface" "Graphical user interface")	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 16:51
S10 2	0	(simulat\$4 emulat\$4) near GUI and (respon\$6 return\$4) near message near (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:59
S10 3	0	(simulat\$4 emulat\$4) near (GUI UI "user interface" "Graphic user interface" "Graphical user interface") and (respon\$6 return\$4) near message near (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:00

S10 4	1	(simulat\$4 emulat\$4) with (GUI UI "user interface" "Graphic user interface" "Graphical user interface") and (respon\$6 return\$4) near message near (file table database matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:00
S10 5	59	(simulat\$4 emulat\$4) with (GUI UI "user interface" "Graphic user interface" "Graphical user interface") and (respon\$6 return\$4) with message with (file table database matrix) not S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:00
S10 6	3	("4772206"   "5317688"   "5395242").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 17:05
S10 7	3	("5816820").URPN.	USPAT	OR	ON	2005/11/17 17:07
S10 8	519	test\$5 near (GUI "user interface") not play near back	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:09
S10 9	464	test\$5 near (GUI "user interface") not play	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:09
S11 0	64	simulat\$4 with (GUI UI "user interface" "graphical user interface") and message near2 (file table database matrix) not play	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:22
S11 1	16	simulat\$4 with (GUI UI "user interface" "graphical user interface") near model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:27
S11 2	0	simulat\$4 with (GUI UI "user interface" "graphical user interface") near respon\$4 near (table file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:28
S11 3	4	(GUI UI "user interface" "graphical user interface") near respon\$4 near (table file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:29

S11 4	388	(GUI UI "user interface" "graphical user interface") with respon\$4 near message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:29
S11 5	2	(GUI UI "user interface" "graphic user interface" "graphical user interface") with respon\$4 near message and (simulat\$4 emulat\$4) near2 (GUI UI "user interface" "graphic user interface" "graphical user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:32
S11 6	0	message near (file table database) with respon\$6 near signal with (simulat\$4 emulat\$4) near (GUI UI "user interface" "graphic user interface" "graphical user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:34
S11 7	0	response near (file table database) with respon\$6 near signal with (simulat\$4 emulat\$4) near (GUI UI "user interface" "graphic user interface" "graphical user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:34
S11 8	295	(simulat\$4 emulat\$4) adj (GUI UI "user interface" "graphic user interface" "graphical user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:34
S11 9	9	(simulat\$4 emulat\$4) adj (GUI UI "user interface" "graphic user interface" "graphical user interface") and message adj (database file table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:35
S12 0	14	("3704363"   "3778767"   "4062061"   "4063311"   "4108360"   "4135662"   "4423508"   "4550278"   "4554661"   "4593391"   "4625312"   "4658351"   "4661923"   "4679195").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 18:20
S12 1	407	look adj up adj table with (simulat\$5 emulat\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/21 08:59
S12 2	0	respon\$5 near look adj up adj table with (simulat\$5 emulat\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 18:21
S12 3	25	look adj up adj table with (simulat\$5 emulat\$5) with respon\$7	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 18:25

S12 4	0	look adj up adj table with (simulat\$5 emulat\$5) with (GUI UI "user interface" "graphic user interface" "graphical user interface")	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 18:26
S12 5	44	look adj up adj table with (simulat\$5 emulat\$5) with (software program)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 19:03
S12 6	12	"6248486"	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 18:29
S12 7	8	("4251160"   "4356392"   "4737823"   "4778275"   "5191200"   "5217831"   "5367404"   "5754299").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 18:30
S12 8	70	look adj up adj table with (simulat\$5 emulat\$5) same (software program)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 19:03
S12 9	26	look adj up adj table with (simulat\$5 emulat\$5) same (software program) not S125	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/17 19:03